

POLICY AND PROCEDURES FOR TRAFFIC CALMING MEASURES

PURPOSE

To adopt official policy for the appropriate and consistent application of traffic calming measures on Town-maintained streets in Waynesville.

COVERAGE

This policy shall be applicable until such time that they are officially amended, modified, or rescinded by the Town Board of Aldermen.

POLICY

Traffic calming measures are applicable in residential neighborhoods where speeding vehicles and/or cut-through traffic are the primary concerns, and traditional police enforcement is found to be unfeasible and/or ineffective. Streets must typically be residential in nature for consideration under this policy. The policy is intended to promote traffic calming measures that are appropriately implemented, coordinated with the Town's key departments including Police, Fire, and Public Works, and are supported by the community. In addition to citizen requests, traffic calming projects can also be identified by Town staff, Town advisory boards, and/or the Board of Aldermen.

The Staff will identify improvements to the procedures to keep the implementation of the Board of Aldermen's policy up to date.

The following procedure will be used to identify, evaluate, and implement traffic calming projects in Waynesville.

1. A citizen requesting traffic calming improvements will fill out a Request for Traffic Calming Measures form available in the Town Public Works Department and on the Town web site.
2. Upon receipt of a properly completed Request form, the Town's Technical Review Committee will review the request to make sure that the requested streets for traffic calming measures does not reduce response time for emergency service providers. The Town Engineer will determine an applicable "service area" surrounding the requested traffic calming site(s) and will provide the requesting citizen with a Petition form to be signed by interested property owners within the designated service area. The size and extent of the service area will take into consideration the type of traffic calming project being proposed, the layout and type of properties in the vicinity, and the characteristics of the street network surrounding the proposed project site(s). Depending on the circumstances, the service area may include:
 - All properties abutting the proposed street segment to be modified.
 - All properties on adjacent street(s) with ingress/egress only possible via the modified street segment.
 - All properties on adjacent street(s) that have alternative points of ingress/egress but will be otherwise affected by the modified street segment.

The Technical Review Committee shall hear appeals regarding service area boundaries established by Town engineer and will provide recommendations regarding alterations of the boundaries for consideration by the Manager.

3. The Public Works Department will prepare a petition form including the following items:
 - i. A map showing the service area
 - ii. A listing of property owners in the service area
 - iii. A preliminary traffic calming plan showing probable devices and their locations

The requesting citizen will obtain signatures on the Petition form. A valid Petition for traffic calming measures must be signed by 70% of the property owners within the service area surrounding the requested traffic calming site(s).

3. The requesting citizen will return the Petition form, with **original** signatures, to the
4. Director of Public Works located at 1600 Legion Drive Waynesville, N.C. 28786.

Email signed petitions from the property owners are also allowed in lieu of original signatures. The email petition must indicate the full name(s) of property owners. Email signed petitions must be returned to the email address jstines@wayensvillenc.gov The Town staff will confirm that the Petition signatures concur with land ownership records. Once a Petition is determined to be valid, the Public Works Department will notify the requesting citizen of the petition status.

5. Upon receipt of a valid Petition (as described in Step #3 above), the Public Works Department will gather project site data including traffic volumes, speeds, and accident history. A proposed project plan will be developed using the following procedure:
 - Assess problems and needs
 - Identify goals and objectives
 - Identify evaluation criteria
 - Evaluate alternatives
 - Select a proposed plan

The development of a traffic calming plan will include review and evaluation by the Town Technical Review Committee, based on Best Management Practices of the Traffic Engineering profession. (APPENDIX A), and evaluation of the types and design criteria of traffic calming measures applicable to site (APPENDIX B).

The Public Works Department will prepare a cost estimate for the proposed traffic calming project and associated improvements.

6. Traffic calming projects will be prioritized in accordance with the ranking system outlined in APPENDIX C, and will be presented to the Board of Aldermen consideration. The Board will review the proposed projects, including the associated traffic data compiled for each project. Based on its review, the Board will determine the device that is best for the design and traffic volume of the street.
7. The Finance and Public Works Director shall include a cost estimate of each device approved by the Board and shall include those costs as part of the Town's annual street improvement program. Should the Town have unspent funds in the street paving account and have paving work scheduled apart from the annual paving process they may request that the Board approve funding for calming devices that have been approved on a first come first serve basis.
8. Once project funding is approved by the Board of Aldermen, the Public Works Department will prepare construction plans and specifications and an updated cost estimate.
9. When the final design of the traffic calming devices are complete, the Public Works Department will schedule a neighborhood meeting to discuss the plans, estimated costs, and construction procedures/schedule. Each property owner in the service area of the project will be notified when and where the meeting is scheduled.
10. The project will be constructed by Town forces or by private contractor.
11. Town staff will monitor the performance of completed traffic management projects and will report to the Board of Aldermen regarding the operation and effectiveness of the traffic calming measures within 12-18 months following installation. This follow-up report could result in Board of Aldermen action to revise or remove a previously approved traffic management measure.
12. Citizen requests for removal of traffic calming devices will be required to go through the same petition process described previously for installation requests.

APPENDIX A

POLICY FOR PLACEMENT OF STOP SIGNS AND ASSIGNMENT OF SPEED LIMITS

OBJECTIVE: It is the policy of the Town of Waynesville to install stop signs and assign speed limits that will promote the safe, efficient, and orderly movement of vehicles throughout the Town while preserving existing residential neighborhoods and providing safe and accessible means for pedestrian movement adjacent to and across Town streets.

GUIDELINES: The following guidelines shall be considered when evaluating placement of stop signs and assignment of speed limits on Town streets. In general, the Town of Waynesville places signs of all types in accordance with the recommendations of the Manual on Uniform Traffic Control Devices for Streets and Highways (M.U.T.C.D.), published by the U.S. Department of Transportation. This policy includes the general M.U.T.C.D. recommendations and supplements them with more specific guidelines directed to situations expected to arise in Waynesville.

STOP SIGNS

Stop sign(s) may be warranted at an intersection where one or more of the following conditions exist:

1. Intersection of less important road with a main road where application of the normal right-of-way rule is unduly hazardous.
2. Intersection of a minor street entering a through highway or street.
3. Unsignalized intersection in a signalized area.
4. Intersection where a combination of high speed, restricted sight distance, and serious accident record indicates a need for control by stop sign(s).
5. Intersection which intercepts identified pedestrian route(s) carrying significant Pedestrian volume.
6. Intersection on a street without curbs or sidewalks when such streets are carrying traffic volume significantly above that for which the street was designed.
7. Intersection with existing irregular stop sign placement, where additional sign(s) would improve safety.

8. Unsigned intersection within an existing series of intersections with stop signs.
9. Where the interest of public safety dictates.
10. Intersection of two collector streets that provide primary service to an area and carry nearly equal traffic volumes, which makes clear assignment of right-of-way difficult.
11. Intersection adjacent to facilities such as parks, pools, schools, or other facilities which significantly increase and concentrate pedestrian and vehicular traffic in a localized area.
12. Intersection within a specific street network that carries through traffic on a route which is less desirable than on an alternative route or designated thoroughfare.

Stop sign installation will normally not be recommended in the following situations:

13. At mid-block locations.
 13. Solely for the purpose of controlling vehicular speeds.
 14. At locations where a stop would create a high likelihood of rear-end collisions.
 15. On major arterials or thoroughfares.
 16. At locations where yield signs will provide adequate control without requiring full stops.
 17. At railroad crossings.

Stop sign installations will be evaluated by Town engineering staff and judged in accordance with these guidelines to avoid potentially detrimental use of this highly restrictive traffic control measure. Evaluations will consider alternatives to stop sign installations which may include construction of sidewalks, improvement of sight distance, construction or improvement of alternative traffic routes, or other site-specific improvements in lieu of stop sign placement.

SPEED LIMITS

In general, speed limits will be assigned based on street classification as follows:

Local.....	25 mph
Collector.....	25-35 mph
Arterial (Major and Minor).....	45 mph

Changes in existing speed limits and/or posting of speed limits other than those generally recommended by street classification will be considered in situations where:

1. Changes in use of property adjacent to a street creates changed speed limit conditions.

2. Changes in vehicular or pedestrian traffic patterns on a given street creates changed speed limit conditions.
3. The proximity or locations of parks, pools, schools, driveways or other facilities increases and concentrates vehicular and pedestrian traffic on a given street or streets.
4. Street design will not accommodate the speed limit normally recommended, or the posted speed limit.
5. Changes will create a more uniform, continuous speed limit throughout a defined travel corridor.

Speed limits below 25 mph will not be considered on public streets except for special zones such as schools or hospitals.

Speed limits will be evaluated by Town engineering staff to create conditions where the Town street system can be utilized efficiently and safely at speeds that can be adequately enforced. Evaluations will include review of alternatives to speed limit changes which may include street improvements, construction of alternative routes, control of access, or other specific improvements in lieu of speed limit changes.

APPENDIX B
TYPES OF TRAFFIC CALMING MEASURES AND DESIGN CRITERIA

Traffic Calming Device	Street Classification (Intersection)	Average Daily Traffic Volume (ADT) Minimum & Maximum	Street Width (Edge to Edge)	Street Grade or Intersecting Street Grades Note 4	Line of Sight (Minimum)	Adjacent On-Street Parking	Posted Speed Limit	Minimum 85 th Percentile Speed
Speed Tables	Local or Local Collector	500 - 3000 vpd	25 ft.	4%	360 ft.	Removed	25 mph	35 mph
Pavement Treatments	Local or Local Collector	500- 3000 vpd	20 ft.	4%	360 ft.	Removed	25 - 35 mph	35 to 45 mph
Semi-Diverter	Local	500- 1500 vpd	25 ft.	1%	360 ft.	Removed	25 mph	35 mph
Cul-de-sac	Local	500- 1500 vpd	(Note 1)	(Note 2)	360 ft.	Removed	25 mph	35 mph
Mid-block Closure	Local	500-1500 vpd	25 ft.	(Note 2)	360 ft.	Removed	25 mph	35 mph
Forced Turn Channelization	Major Street - Local or Local Collector Minor Street - Local	500-1000 vpd	25 ft.	(Note 1)	360 ft.	Removed	25 - 35 mph	35 to 45 mph
Traffic Circle	Major Street - Local or Local Collector Minor Street - Local	500-3000 vpd	(Note 1)	1%	360 ft.	Removed	25 - 35 mph	35 to 45 mph
Chicanes	Local Collector	500-3000 vpd	(Note 1)	4%	360 ft.	Removed	25 - 35 mph	35 to 45 mph
Chokers	Local or Local Collector	500-3000 vpd	(Note 1)	4%	360 ft.	Removed	25 - 35 mph	35 to 45 mph

Note 1: Existing Street conditions must be able to accommodate Emergency vehicle requirements.

Note 2: Existing Street conditions must be able to maintain drainage requirements.

Note 3: The criteria in this table were developed by the Waynesville Engineering Department. They are based on accepted traffic and similar traffic calming applications in other parts of the country.

Note 4: Street grades exceeding the numbers above will be evaluated on a case by case basis by The Public Works Dept.

**APPENDIX C
RANKING SYSTEM FOR
TRAFFIC CALMING PROJECTS**

Item	Points
1. Traffic Volume	Average daily traffic volume on the proposed project street divided by 100. [20 points maximum]
2. Traffic Speed	Percentage of vehicles traveling at or more than 10 mph over the posted speed limit on the proposed project street divided by 2. [40 points maximum]
3. Traffic Accidents	Two points per accident that likely could have been resolved by the recommended traffic calming device, based on accident records for the past three consecutive years. [20 points maximum]
4. Schools	Five points for each private or public elementary, middle, or high school within the area benefited by the proposed traffic calming measure.
5. Other	<p>a) Five points if a street proposed for a traffic management project has a sidewalk on only one side.</p> <p>b) Twenty points if a street proposed for a traffic management project does not have a sidewalk on either side.</p> <p>c) Ten points if a street proposed for a traffic management project has travel lane widths wider than 10 feet.</p> <p>d). Three points for each pedestrian generator or attractor (such as a park, swimming pool, green-way, etc.) within the area benefited by the proposed calming measure.</p> <p>e) One point for each bus stop within the area benefited by the proposed calming measure.</p> <p>f) Five points for each designated school crossing within the area benefited by the proposed calming measure.</p> <p>g) Ten points for each six month period that a project remains on the prioritized list without being selected for funding.</p>